



Discover The CST Difference[®]
MONO-CAST[®] One Piece Pavers & VERSA-LOK[®] Retaining Walls



The CST Difference is...



Mono-Cast Quality: Our Mono-Cast one piece manufacturing process produces the highest quality pavers and walls. The color and strength go all the way through the product.

Best value: As we always say, “You can pay more but you cannot buy a better product.”

Local roots: All of our concrete products are made in the USA.

Communication: Machines don’t answer the phones, we do.

Responsiveness: Same day reply to customer request.

What our customers are saying...



“I chose CST because I was extremely happy with the support from the House Call program, from the knowledgeable sales rep, helpful ideas on product, color and layout. This project turned out to be one of the less stressful projects that I have completed at my home. From the initial contact, sales rep, professional installer and quality product, I could not of asked for any more.”
Thank You CST

Rodney Tannenbaum




“We had a pretty good idea of what we wanted in our yard. However, Mark Pitcher of CST was able to provide suggestions and experience to help us along. It was truly perfect, and the craftsmanship was incredible. The project as a whole was better than we ever had anticipated.”

John Lunghi



“CST offered me the flexibility to integrate the walls, borders, patios and driveways with the cedar shakes of the house. The Brown Flash matches the house and ties the property to the house. With CST the color was perfect. CST worked with me from the earliest stages through delivery,



maintaining a steady flow of product throughout the project. CST also helped me in the selection process of finding a contractor. Whatever it was I needed, I knew CST was there to help assist me.”

Jack Frazier

The Online Difference

www.cstpavers.com

Find the dealer closest to you, view products and color selections, and much more.



IdeaScapes Gallery 6



Mono-Cast® Paving Stones 40



Permeable Paving Stones.....66



Sitting & Retaining Walls..... 68

Contents

IDEASCAPES GALLERY

ENTRIES, DRIVEWAYS, POOLS,
BACKYARD RETREATS, WALKWAYS, WALLS6

COLLECTIONS

INTRODUCTION 20
SHORE COLLECTION 22
COUNTRY CLUB COLLECTION..... 26

TEXTURES, FINISHES, STYLES & COLOR

MONO-CAST® PAVING STONES 30
VERSA-LOK® WALL SYSTEMS 34
THE ULTRABELLE COLLECTION 36
MIXING IT UP..... 38

MONO-CAST® PAVING STONES

RIDGE STONE® SERIES.....42
SLATE STONE SERIES 44
SLATE STONE CIRCLE.....46
VIENNA CLASSIC SERIES48
MUNICH SERIES 50
ROMAN COBBLE® SERIES.....52
ROMAN COBBLE® CIRCLE 54
TUSCANY 56
CLASSIC BRICK 57
CONTEMPRA® SERIES 58
HOLLAND STONE SERIES.....60
MOUNTAIN STONE SERIES.....61
BULLNOSE SERIES 62
STEPPING STONE 63
EDGE STONE.....64
CURB STONE..... 65

PERMEABLE PAVING STONES

AQUA-BRICLOC.....66
AQUA PAVER.....67
MUNICH GREEN 67
ROMAN COBBLE® GREEN 67
TURFSTONE..... 67

SITTING & RETAINING WALLS

STANDARD UNIT..... 70
MOSAIC 72
VERANDA WALL.....74
MUNICH WALL.....76
SQUARE FOOT WALL™ 78
ULTRA 6 X 18.....80
COBBLE WALL.....81
ACCENT WALL.....81
BISTRO TABLE KIT..... 82
FIREPIT KIT 83
WATER FEATURE KIT.....84
STEP DESIGN 85

ACCESSORIES & KITS

COLUMNS.....86
STEP TREADS.....88
LANDSCAPE STEPS.....89
WALL CAPS90
PIER CAPS91

SPECIAL FEATURES

BEFORE & AFTER 92
INSTALLATION INSTRUCTIONS94
TECHNICAL PRODUCT DATA96
TECHNISEAL®102
WARRANTY..... INSIDE BACK COVER



How about a House Call?

That's right. CST makes House Calls. Visit www.cstpavers.com and sign up for a FREE in home consultation. A knowledgeable CST sales representative will make an appointment to visit you at your home with project ideas, samples and literature. Let the experts at CST give you some advice, answer any questions you may have and provide you with helpful tips on how you can make your project something special.



Questions? Ask Steve, CST's virtual know-it-all.

How high can I build my retaining wall?
Can a snow plow damage my pavers? How do I replace a stained or damaged paver?

Click "Ask Steve" at www.cstpavers.com and get your answers. Steve is ready when you are.



idea scapes

Great Ideas Begin Here

PHOTO:
Roman Cobble®,
Hickory Blend, Standard Finish

Entries...
Driveways...
Pools...
Backyard Retreats...
Walkways & Walls...

Driveways...




Above: Slate Stone Series, Butternut, Standard Finish
Right: Aqua Paver, Red Flash, Standard Finish



Pools...

Don't wait for your
ship to come in...
swim out to it.

- Unknown



Above: Ridgestone Hickory, Butternut, Antique Gray, Standard Finish
Right: Roman Cobble®, Butternut, Standard Finish



Veranda Wall, Butternut Weathered
Vienna Classic, Butternut, MILL-TEC™ Finish

Backyard Retreats...

That perfect tranquility of life, which is nowhere to be found but in retreat, a faithful friend and a good library.

- Aphra Behn



Munich Series, Hickory Blend, Antiqued™ Texture Finish



Ridgestone™, Hickory Blend, Standard Finish



Above: Vienna Classic Series, Butternut, Hickory Blend, MILL-TEC™ Finish
 Below: Slate Stone Series, Hickory Blend, Standard Finish



Above: Vienna Classic Series, Antique Grey, MILL-TEC™ Finish
 Below: Munich Series, Hickory Blend, Antiqued Texture® Finish



Walls & Walkways...



LEFT: Ridge Stone™, Hickory Blend, MILL-TEC™ Finish
CENTER & RIGHT: Vienna Classic, Hickory Blend, MILL-TEC™ Finish



COLLECTIONS

Introducing Our New CST Collections...

Our new collections are designed to feature hardscape products that follow a specific theme and have a common look and feel. They can easily be installed together in one complete hardscape installation, or can be added to over time. Each item in the collection highlights a specific idea and vision to enhance your hardscape project. Be sure to let your dealer know that you would like to select a collection from CST.

SHORE COLLECTION

The Shore Collection is the perfect combination of light pastel color hardscape products that accentuate any backyard space. Transform your ordinary space into a relaxing, elegant retreat.

COUNTRY CLUB COLLECTION

The Country Club Collection has a variety of hardscape products with classic designs and colors to enhance the beauty of any home.

SHORE COLLECTION



Slate Stone

This Slate Stone pool deck is featured in the Ocean City Sand color.



Slate Stone Circle Kit

This Slate Stone Circle Kit is in the Ocean City Sand color.

Fire Pit Kit

A Brandywine Munich Fire Pit Kit makes a nice addition to the Shore Collection.

Veranda Wall

This Veranda Wall consists of 3" and 6" pieces in the Weathered™ finish and the Brandywine color.

SHORE COLLECTION



Bistro Table Kit

The Bistro Table Kit is featured in the Brandywine color with a grey sealed wet-cast table top and foot rest.



Bullnose Coping

This bench features Bullnose coping in the Ocean City Sand color.

Column Kit

The Veranda Wall Column Kit displayed here is the Weathered™ finish in the Brandywine color.

Pier Cap

The CST Pier Cap in the Shore Collection is showcased here in Brown.

COMPLETE HARDSCAPE COLLECTION

COUNTRY CLUB COLLECTION



Versa-lok™ Corner Column Kit

Versa-lok™ Corner Column Kit in the Hickory Blend color.



Vienna Classic Paver

A nice running bond walkway in the Potomac Valley color with a Standard finish. The walkway also features a Vienna Classic border in the Ocean City Sand color.

Versa-lok™ Mosaic Wall

This Versa-lok™ Mosaic Wall consists of a standard unit, two accent units and one cobble unit in the Weathered™ finish and the Hickory Blend color.

COMPLETE HARDSCAPE COLLECTION
**COUNTRY CLUB
 COLLECTION**



Roman Cobble Circle Kit

A Circle Kit gives added flare to any entryway, displayed here in the Potomac Valley color.




Wetcast Wall Caps

Displayed here is the 48" wall cap, and is a great finishing detail for any wall.

Pier Cap

The Pier Cap in this collection is featured in the color brown.

The CST Difference Is ...



MONO-CAST[®] QUALITY



The color and strength go all the way through!

Mono-Cast[®] Pavers and VERSA-LOK[®] Wall Systems,



MONO-CAST[®] One-Piece Paver

Unlike some other manufacturers who use a “two-piece process” in their production of paving stones, CST has remained committed to their philosophy of solid “one-piece construction” for their paver and VERSA-LOK[®] wall products. This means the concrete and color are mixed and poured together creating a one-piece product with the same color and consistency throughout. CST is confident that this is the most reliable way to guarantee long-term color, strength and durability.



Two-Piece Paver Face Mix:

A Face Mix is a common manufacturing technique used in the industry to save on the cost of color. A face mix has two mixes applied during the stone’s manufacturing. A base mix fills the mold to create the paver, and then a thin topcoat with the color is applied to finish the manufacturing process.

Consistent Color And Quality Throughout Our Entire Product Line. www.cstpavers.com

FINISH STYLES




STANDARD

This finish is the natural surface that is produced when a standard MONO-CAST™ paver is made.



MILL-TEC™

The MILL-TEC™ finish is a process used to stress just the top surface of the paver. This results in a more consistent and uniform aged look.



ANTIQUED TEXTURE®

The Antiqued Texture® process takes a standard finish paver and “tumbles” the product, aging the paver to resemble an “old world” natural stone type appearance.

FINISH STYLES



Standard

Our standard finish is a classic split-faced texture offering a distinctly attractive appearance to enhance any project.



VERSA-LOK[®]
Retaining Wall Systems
Solid Solutions

Weathered™

Our vintage Weathered™ finish, which has a centuries-old, hand-hewn appearance, is perfect for historic renovations or to match existing stonework.





The Ultrabelle Collection™ is our new state of the art color enhancement process for CST pavers and wall products. Special color pigments blend with cements for a range of vibrant and full-bodied colors that are as unique as fine art. From the bright whites and tans of Ocean City Sand to the rich browns and golds of Potomac Valley, the Ultrabelle Collection offers an artist's palette of colors to help you create your own outdoor masterpiece.

The Ultrabelle Collection Is Available For The Following Products:

PAVERS:

- Bullnose
- Classic Brick
- Curbstone
- Edgestone
- Munich
- Ridgestone™
- Roman Cobble®
- Slate Stone
- Tuscany
- Vienna Classic

WALLS:

- Bistro Table Kit
- Firepit Kits
- Munich Wall
- Standard Wall
- Veranda Wall
- Water Feature Kit




MIXING IT UP

Like painting a picture, you can create a captivating work of art with color. With some thoughtful consideration during the planning stages, there's really no mystery to figuring out the hues to use in your new environment. Don't be afraid to mix it up!

Mixing the Utrabelle™ colors adds a distinctive look that can replicate Mother Nature's own recipes for beautiful blends. Featured here is our Ridge Stone standard in Point Pleasant Blue, Cape May Green and Delaware River Mist in a herringbone pattern.



Top: Slate Stone Series Point Pleasant Blue, Cape May Green, Delaware River Mist, Standard Finish
Right: Ridgestone™ Series, Butternut, Hickory, Antique Grey, Antique Finish



Vienna Classic, Butternut, Hickory, Antique Grey, MILL-TEC™ finish



Slate Stone Series, Ocean City Sand, Brandywine, Potomac Valley




MONO-CAST®
ONE PIECE PAVER

Slate Stone Series, Hickory Blend, Standard Finish



- RIDGE STONE® SERIES
- SLATE STONE SERIES
- SLATE STONE CIRCLE
- VIENNA CLASSIC SERIES
- MUNICH SERIES
- ROMAN COBBLE® SERIES
- ROMAN COBBLE® CIRCLE
- TUSCANY
- CLASSIC BRICK
- CONTEMPRA SERIES
- HOLLAND STONE SERIES
- MOUNTAIN STONE SERIES
- BULLNOSE SERIES
- STEPPING STONE
- EDGE STONE
- CURB STONE

PERMEABLE PAVING STONES

- AQUA-BRICLOC®
- AQUA PAVER
- MUNICH GREEN
- ROMAN COBBLE® GREEN
- TURFSTONE

MONO-CAST®
PAVERS

MONO-CAST® RIDGE STONE® Series



COLORS:



ANTIQUE GREY



CAPE MAY GREEN



BUTTERNUT



DELAWARE RIVER MIST



HICKORY BLEND



POINT PLEASANT BLUE



RED FLASH

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.



Looking for natural stone to use in your next project? Want a design with varied textures and colors? The Ridge Stone® Series is designed to look as though it was created by nature, with its natural stone like appearance. The 2 3/4" paver is available in 5 larger sizes, 7 colors and 3 different finishes.


SIZES:




Small Square
9" x 9" x 2 3/4"



Large
9" x 12" x 2 3/4"



Jumbo Square
12" x 12" x 2 3/4"



**Giant
12" x 15" x 2 3/4"



**Super
18" x 18" x 2 3/4"

FINISHES:

- Standard
- MILL-TEC™
- Antiqued Texture®

**Only available in Standard and MILL-TEC®
Not for vehicular applications

Top: Butternut, Hickory Blend, Antique Grey, Antiqued Texture® Finish
Right: Butternut, Antiqued Texture® Finish



The Ridge Stone Series natural stone-style paver is even more versatile, available in this huge, 18 x 18 super-sized version. With a total of five size options, the possibilities are endless.

MONO-CAST® SLATE STONE


Series



COLORS:



ANTIQUE GREY



BRANDYWINE



BUTTERNUT



CAPE MAY GREEN



HICKORY BLEND



OCEAN CITY SAND



BROWN FLASH



POTOMAC VALLEY



RED FLASH



SIERRA



WALNUT BLEND



SOUTH BEACH



Our premier product for vintage slate texture and timeless beauty, the Slate Stone Series is one of the newest additions to our already versatile paver line. A five-piece system with a Circle Kit, the series features squares and rectangles that create random patterns for a show-stopping hardscape design. Cut like natural slate stone, multiple profiles are created for true sophistication and richness.

FINISH:

STANDARD FINISH


Slate Stone Packaged as a full cube




Small
4½ x 8¾ x 2¾




Medium
8¾ x 8¾ x 2¾




Large
8¾ x 13¾ x 2¾



Jumbo Rectangle
8¾ x 17½ x 2¾
Not for vehicular applications



Super Square
17½ x 17½ x 2¾
Not for vehicular applications



Circle Kit
10' 1¼" diameter
Top: Hickory Blend, Standard Finish
Right: Ocean City Sand, Standard Finish

MONO-CAST® SLATE STONE


Circle



COLORS:



ANTIQUE GREY



BRANDYWINE



BUTTERNUT



CAPE MAY GREEN



HICKORY BLEND



OCEAN CITY SAND



BROWN FLASH



POTOMAC VALLEY



RED FLASH




SIERRA



WALNUT BLEND




SOUTH BEACH



Our Slate Stone 10' 1" diameter circle kit adds drama to any hardscape project. With seven large distinctively shaped pavers that produce simply stunning circles, you'll have a focal point to compliment your surrounding hardscape features. The texture and colors match our pavers perfectly.

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

SIZES:



FINISH:

STANDARD FINISH

Left: Ocean City Sand, Standard Finish
Right: Potomac Valley, Standard Finish




MONO-CAST® VIENNA CLASSIC *Series*



COLORS:



ANTIQUE GREY



BRANDYWINE



BUTTERNUT



CAPE MAY GREEN



HICKORY BLEND



DELAWARE RIVER MIST



RED FLASH



OCEAN CITY SAND

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.



POTOMAC VALLEY




POINT PLEASANT BLUE



With countless color combinations, textures and designs, the Vienna Classic Series gives you unlimited options, adding warmth, style and ambiance to an outdoor room. The Vienna Classic Series is a thicker 7cm paver (2 3/4"), giving the larger sized units necessary added strength. With three distinct finishes to choose from - traditional Antiqued Texture®, the vintage look of MILL-TEC™, or the crisp lines of the Standard Finish, this popular product line will create an exceptional outdoor living space for you.

SIZES:



FINISHES:

- Standard Finish
- Antiqued Texture®
- MILL-TEC™

Top: Antique Grey, Antiqued Texture® Finish
Right: Butternut, Hickory Blend, MILL-TEC® Finish



MONO-CAST® MUNICH *Series*

COLORS:

*Made to order



ANTIQUE GREY



BUTTERNUT



HICKORY BLEND



*RED FLASH



BRANDYWINE



OCEAN CITY SAND



POTOMAC VALLEY



SANDSTONE



SOUTH BEACH




Landscape designers choose the Munich Series for its practicality and beauty. Available in two distinct finishes, MILL-TEC™ and Antiqued Texture®, the paver's flat surface creates a tailored landscape design, achieving a clean, professional look. The finishes allow you to soften the look and adds a final touch to your landscape design.

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.


SIZES:



Square
6" x 6" x 2 3/8"



Large
6" x 9" x 2 3/8"



Large Square
9" x 9" x 2 3/8"

FINISHES:

- MILL-TEC™
- Antiqued Texture®

Left: Red Flash,
Antique Grey, MILL-TEC™ Finish

Right: Munich 90% Ocean City Sand,
10% Hickory MILL-TEC™ Finish



MONO-CAST® ROMAN COBBLE® *Series*

COLORS:



ANTIQUE GREY



WALNUT BLEND



BUTTERNUT



CHARCOAL
6 x 9 x 2 3/8 ONLY




HICKORY BLEND



6 x 6 x 2 3/8, 6 x 9 x 2 3/8
and Circle Kit



BROWN FLASH



BRANDYWINE



RED FLASH



OCEAN CITY SAND

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.



POTOMAC VALLEY

FINISHES:

- Standard
- Antiqued Texture®

SIZES:



Mini Cobble
6" x 3" x 2 3/8"




Small Cobble
6" x 4 1/2" x 2 3/8"




Square Cobble
6" x 6" x 2 3/8"



Large Cobble
6" x 9" x 2 3/8"




Large Square Cobble
9" x 9" x 2 3/8"



Circle Kit
10' 1 1/4" diameter

Top & Right:
Butternut, Standard Finish



The cornerstone of the CST product line, the Roman Cobble® series is a classic paver available in standard and Antiqued Texture® finishes. With 10 colors, five sizes and a Circle Kit available, this paver is sure to deliver the hardscape design of your dreams.



MONO-CAST® ROMAN COBBLE® *Circle*



COLORS:



ANTIQUE GREY



BRANDYWINE



BUTTERNUT



OCEAN CITY SAND



HICKORY BLEND



POTOMAC VALLEY



BROWN FLASH

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.



RED FLASH




WALNUT BLEND



Enjoy the geometric grandeur of Roman Cobble. Our 10' 1/4" diameter circle kits feature seven large distinctively shaped pavers that can unify your project with the hardscape around it. They're produced just like our pavers, making the surface texture and color a precise match. Create a focal point by using a circle to design an intimate seating area or to transition from a walkway to a patio.

Top: Antique Grey, Standard Finish
Right: Roman Cobble Circle: Potomac Valley, Standard Finish with an accent band of Vienna Classic, Ocean City Sand

SIZES:




FINISHES:

- Standard
- Antiqued Texture®




MONO-CAST® TUSCANY *Series*

COLORS:



BROWN



CHARCOAL




POINT PLEASANT BLUE



SANDSTONE

Charcoal, Antiqued Texture™ Finish




*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

FINISHES:

- Antiqued Texture®

SIZES:



Square
4" x 4" x 4"

Packaged in half cubes




Experience the nostalgia and romance of the old world with Tuscan Series, our newest paving stone. With its natural cobblestone look, this unique split-faced paver features exposed aggregate and an antiqued granite-like finish. Strength meets elegance making it a popular choice for entryways and streetscapes. Perfect for vehicular applications as a traffic-calming device or rumble strip.

Makes a perfect accent detail for pavers, columns or sitting walls.

MONO-CAST® CLASSIC BRICK *Series*


COLORS:



BROWN



CHARCOAL



OLD CHICAGO



OLD MAHOGANY

Old Chicago, MILL-TEC™ Finish




BRANDYWINE



CAPE MAY GREEN



OCEAN CITY SAND



The designers at CST have taken the classic Holland shape and applied real old world charm. A unique clay brick look and five classic colors will turn the clock back on your hardscape design.

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

SIZES:



Holland
4" x 8" x 2 3/8"

FINISHES:

- MILL-TEC™

MONO-CAST® CONTEMPRA *Series*

COLORS:



ANTIQUE GREY



BROWN FLASH



BUTTERNUT



RED FLASH




HICKORY BLEND




WALNUT BLEND

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.




An original, timeless paver, the Contemptra is a perfect companion for poolscapes and adds elegance to any patio or driveway. Available in three sizes and six colors, the smooth finish and sleek lines lend a modern twist, making a statement without competing with your spectacular view.


SIZES:



6" x 6" x 2 3/8"



6" x 9" x 2 3/8"



9" x 9" x 2 3/8"

FINISHES:

- Standard

Top: Antique Grey, Standard Finish
Right: Brown Flash, Standard Finish



MONO-CAST® HOLLANDSTONE *Series*

COLORS:



ANTIQUE GREY



BUTTERNUT



HICKORY BLEND



BROWN FLASH



RED FLASH



WALNUT BLEND



CHARCOAL



RED

Walnut Blend, Standard Finish



*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

FINISHES:

- Standard
- Antiqued Texture®

SIZES:



4" x 8" x 2 3/8"

4" x 8" x 3 3/8"
(Made to order)



Holland ADA (Red Only)
4" x 8" x 2 3/8"

This original, inspired classic will calm your senses by creating a relaxing outdoor space for you to enjoy. The traditional brick style is ideal for formal walkways, driveways and patios. This timeless paver is perfect as a border to complete designs with other paver styles.

WET CAST MOUNTAINSTONE *Series*

COLORS:



GREY




SANDSTONE

PLEASE NOTE:

- This product is not recommended for vehicular applications.
- Do not apply salts and other deicing products on this product.
- Do not use plate compactor on this product during installation.
- Do not use efflorescence cleaners

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.




Gray, Standard Finish

Classic and refined, Mountain Stone creates an ambiance inspired by the enduring beauty of natural flagstone. The pieces are larger than standard pavers making this a popular choice for patios and walkways. Varied shapes and sizes with a natural stone appearance help create impressive patterns for a truly show-stopping hardscape design.


FINISH:

- Standard

SIZES:



12" x 12" x 1 1/2"




12" x 24" x 1 1/2"



18" x 30" x 1 1/2"



24" x 24" x 1 1/2"



24" x 36" x 1 1/2"

MONO-CAST® BULLNOSE

COLORS:



ANTIQUÉ GREY



BUTTERNUT



HICKORY BLEND



BROWN FLASH



RED FLASH



WALNUT BLEND



CHARCOAL



Wide Bullnose only:
6" x 12" x 2 3/8"



BRANDYWINE



OCEAN CITY SAND



POTOMAC VALLEY



SANDSTONE





SIERRA



SOUTH BEACH

Top: Hickory Blend, Antique Grey, Standard Finish
Bottom: Antique Grey, Standard Finish



Bullnose pavers are ideal for coping around pools
and for stair treads.

FINISHES:

- Standard
- Antiqued Texture®

SIZES:



Large Bullnose
4" x 12" x 2 3/8"



Wide Bullnose
6" x 12" x 2 3/8"

*For product color,
finishes and sizes,
please refer to the
product data chart at
the back of the book.

WET CAST STEPPING STONE

RANDOM STEPPERS



COLORS:




LILAC



GREY



BROWN



SANDSTONE

EXPOSED AGGREGATE

NEW
FOR
2013



Exposed 18" Round
18" x 1 1/2"



Exposed 24" Square
24" x 24" x 1 1/2"




DELAWARE STONE




MARYLAND STONE

*For product color,
finishes and sizes,
please refer to the
product data chart at
the back of the book.


SIZES



Stepping Stone
Approximately 18" x 24"



18" Round
18" x 1 1/2"



24" Square
24" x 24" x 1 1/2"

MONO-CAST® EDGESTONE

COLORS:



ANTIQUE GREY




BUTTERNUT



HICKORY BLEND



RED FLASH



BRANDYWINE



OCEAN CITY SAND



SANDSTONE



SIERRA



SOUTH BEACH



Above: Butternut, Antique Finish

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

While sprawling walkways and walls make a statement, sometimes beauty is in the details. Edge Stone adds style and functionality to your landscape serving as a decorative edging solution. Lining your gardens and flower beds with the beautiful border will not only compliment your existing hardscape features, it will help reduce the time needed for landscape maintenance.

FINISHES:

- Standard
- Antiqued Texture®

SIZES:



8" x 6" x 2½" NOTE: Dimensions may vary up to ⅜ inch

MONO-CAST® CURBSTONE

COLORS:

*Made to order



ANTIQUE GREY




BUTTERNUT



HICKORY BLEND



RED FLASH




BRANDYWINE



OCEAN CITY SAND



SANDSTONE



SIERRA



SOUTH BEACH



Above: Hickory, Standard Finish


*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

Journey back to the streets of ancient Europe to conjure up the appeal of this durable natural stone style paver. The perfect edger for your driveways or curbs for your streets, Curb Stone is a mix of form and function. This timeless concrete paver is inspired by the classic elegance of Belgium Block stone.

FINISHES:

- Standard
- Antiqued Texture®

SIZES:



NOTE: Dimensions may vary up to ⅜ inch 9" x 8" x 3¾"


MONO-CAST® PERMEABLE Series

THE ANATOMY OF PERMEABLE PAVER CONSTRUCTION

Permeable Interlocking Concrete Pavement (PICP) comprises a layer of solid concrete pavers separated by joints filled with small stones. Water enters the joints between the pavers and into an “open-graded” base-crushed stone layer with no small or fine particles. The void spaces among the crushed stone store water and infiltrate it back into the soil subgrade. The stones in the joints provide permeability, and the base filters stormwater and helps reduce pollutants.

WHY USE A PERMEABLE PAVER?

Federal, state, and local sustainable site regulations hope to reduce environmental impacts of increased runoff from roofs and pavements. Permeable Pavers reduce runoff and pollutants, recharges ground-water, and helps reduce downstream erosion and flooding.



AQUA-BRICLOC®

COLORS:



ANTIQUE GREY



BUTTERNUT



HICKORY BLEND



SANDSTONE

SIZES:

4½" x 9" x 3½"



AQUA PAVER

COLORS:



ANTIQUE GREY



BUTTERNUT



HICKORY BLEND



SANDSTONE

SIZES:

5" x 9¾" x 3¾"



MUNICH GREEN

COLORS:



ANTIQUE GREY



BUTTERNUT



HICKORY BLEND



SANDSTONE

SIZES:

6" x 9" x 3½"



ROMAN COBBLE® GREEN

COLORS:



ANTIQUE GREY



BUTTERNUT



HICKORY BLEND



SANDSTONE


SIZES:

6" x 9" x 3½"



TURFSTONE

COLORS:



NATURAL

SIZES:

15¾" x 23¾" x 4"



- STANDARD UNIT
- MOSAIC UNIT
- VERANDA WALL
- MUNICH WALL
- SQUARE FOOT
- ULTRA 6" x 18"
- COBBLE & ACCENT UNITS
- BISTRO TABLE
- FIRE PIT KIT
- WATER FEATURE KIT
- STEP DESIGN
- COLUMNS
- STEPS
- CAPS



VERSA-LOK® WALLS

VERSA-LOK® offers the industry's only solid, top-pinning segmental retaining wall system, and readily accommodates soil reinforcement to build walls of nearly any height.


VERSALOK® STANDARD *Wall*



COLORS:



ANTIQUE GREY



BRANDYWINE



BUTTERNUT



CAPE MAY GREEN



HICKORY BLEND



OCEAN CITY SAND




BROWN FLASH



RED FLASH



WALNUT BLEND



With VERSA-LOK® Standard Wall you can build walls, curves, multi-angle corners, stairs, freestanding walls and columns. No specialty units are required. If you can design it, you can build it with VERSA-LOK®.

VERSA-LOK® Standard Wall units are available in two attractive textures: standard split-face texture and vintage Weathered™, which has a centuries-old, hand-hewn appearance that is perfect for historic renovations and matching existing stonework.

SIZES:



Standard Unit
16L x 6H x 12D



Full Size Corner (top view)
16L x 6H x 8D



Corner Unit
12L x 6H x 8D



C-Cap
16L x 3½H x 12D

FINISHES:

- Standard
- Weathered® Finish

Left: Hickory Blend, Weathered™ Finish
Right: Antique Grey Standard Finish



VERSA-LOK® MOSAIC *Wall*

COLORS:



ANTIQUE GREY



BROWN FLASH



BUTTERNUT



RED FLASH





HICKORY BLEND



WALNUT BLEND

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

THE MOSAIC SYSTEM PATTERN:



Mosaic walls comprise three VERSA-LOK® units in a series of four-unit panels blended to create a random face pattern. Measuring 10" high and 24" wide, Mosaic units are quick and easy to install, and readily accommodate soil reinforcement to fit any application. Each unit is packaged separately, offering you complete design versatility.

SIZES:



Standard Unit
16L x 6H x 12D



Accent Unit
12L x 4H x 12D



Cobble Unit
8L x 6H x 12D



Corner Unit
12L x 6H x 8D




C-Cap
16L x 3³/₄H x 12D

FINISHES:

- Standard
- Weathered™

Left: Butternut, Weathered™ Finish
Right Top: Hickory Blend, Weathered™ Finish
Right Bottom: Butternut, Weathered™ Finish



VERSA-LOK® VERANDA *Wall*



COLORS:



ANTIQUE GREY



BUTTERNUT



HICKORY BLEND




BROWN FLASH



RED FLASH



WALNUT BLEND



BRANDYWINE



CAPE MAY GREEN



OCEAN CITY SAND


Left: Butternut, Weathered™ Finish
Right Top: Antique Grey, Standard Finish
Right Bottom: Butternut, Weathered™ Finish



*For product color, finishes and sizes, please refer to the product data chart at the back of the book.


VERSA-LOK® Veranda 3" and 6" freestanding walls create beautiful borders along patios and walkways. Finished on both sides, their height and sturdy construction make them ideal for perimeter seating. Veranda utilizes versatile unit sizes to easily create a random appearance in both straight and curved applications.

SIZES:




FINISHES:

- Standard
- Weathered™



3" HEIGHT VERANDA WALL

Veranda wall units are now available in a 3" profile. The 3" units are great for creating a clean linear look. Natural random patterns can be achieved by incorporating 3" and 6" units.




CST MUNICH *Wall*




COLORS:



ANTIQUE GREY



BRANDYWINE



BUTTERNUT



OCEAN CITY SAND



HICKORY BLEND



POTOMAC VALLEY



BROWN FLASH



SANDSTONE



RED FLASH



SIERRA



WALNUT BLEND




SOUTH BEACH



CST Munich Wall is an easy, cost-effective way for the do-it-yourself homeowner to make small walls and columns. This wall system offers the best value, can be constructed in straight or curved projects, and requires minimum to no cutting.


*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

SIZES:



12L x 4H x 8D

RADIUS UNITS:



FINISH:

- Weathered™

Left: Hickory Blend, Weathered™ Finish
Right Top: Antique Grey, Weathered™ Finish
Right Bottom: Hickory Blend, Weathered™ Finish



VERSA-LOK® SQUARE FOOT *Wall*


COLORS:



ANTIQUE GREY



BROWN FLASH



BUTTERNUT



RED FLASH




HICKORY BLEND



WALNUT BLEND

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.



When architects, engineers and contractors need to retain a lot of ground economically, they use Square Foot™ Retaining Walls. Covering one square foot of wall face with each unit, this system is an affordable choice for large public works, institutional, residential and commercial projects, waterways and retention ponds. The units are engineered to provide construction flexibility, providing the option of building with the traditional one-inch setback, or near vertical to accommodate your needs. Now available in both Standard and Weathered™ finishes.

FINISHES:

- Standard
- Weathered™

SIZES:



Square Foot Unit
18L x 8H x 12D




Square Foot Corner (top view)
18L x 8H x 9D



C-Cap
16L x 3¾H x 12D

Left: Butternut, Standard Finish
Right Top: Hickory Blend, Weathered™ Finish
Right Bottom: Hickory Blend, Standard Finish




VERSA-LOK® ULTRA 6 x 18 *Wall*

COLORS:



ANTIQUÉ GREY



BUTTERNUT



HICKORY BLEND



BROWN FLASH



RED FLASH



WALNUT BLEND



SANDSTONE



The Ultra offers VERSA-LOK's renowned durability and stunning looks in a lighter-weight retaining wall unit that creates new design options for your next project. Ultra measures 18 inches wide by 6 inches tall and 12 inches deep, making it easy to incorporate into wall patterns with the Standard, Cobble and Accent members of the VERSA-LOK® family. Ultra gives you a hefty $\frac{3}{4}$ square foot of wall face per unit and at 68 pounds per piece provides for an easy to install retaining wall system.

SIZES:



Ultra 6 x 18 Unit
18L x 6H x 12D



Full Size Corner (top view):
16L x 6H x 8D



Corner Unit
12L x 6H x 8D




C-Cap
16L x 3 $\frac{3}{4}$ H x 12D

FINISHES:

- Standard
- Weathered® Finish

VERSA-LOK® COBBLE *Wall*



COLORS:



ANTIQUÉ GREY



BUTTERNUT



HICKORY BLEND



BROWN FLASH



RED FLASH



WALNUT BLEND

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

SIZES:



Cobble Unit
8L x 6H x 12D


FINISHES:

- Standard
- Weathered™

COLORS:



ANTIQUÉ GREY



BUTTERNUT



HICKORY BLEND



BROWN FLASH



RED FLASH



WALNUT BLEND

SIZES:



Accent Unit
12L x 4H x 12D



SANDSTONE


VERSA-LOK® ACCENT *Wall*




*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

CST BISTRO TABLE KIT

COLORS:



Hickory Blend, Weathered™ Finish



The CST Bistro Table Kit adds elegance and charm to any outdoor patio. Because tables are constructed with easy to handle CST Munich Wall Block, they are a breeze to install. Each kit comes standard with a beautiful grey, brown, or sandstone sealed wet-cast table top and foot rest.

SPECIFICATIONS:

- Table Top: 42" x 42" x 2½"
- Table Base: 20" X 20" (Munich Wall Units)
- Foot Rest: 28" X 28" X 2½"
- Table Height: 41"

NOTES:

- Pre-drilled 1¾" hole for umbrella in table top and foot rest.
- Table top and foot rest manufactured wet-cast with sealer applied.
- Table base includes 11 courses of Munich Wall Units, two courses buried below grade.

(Umbrella and chairs not included.)

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

CST FIRE PIT KITS

COLORS:



EASY BUILD-IT-YOURSELF FIRE PIT KITS

Build a fire pit in your yard. This simple easy to assemble addition will make campfire-like experiences, creating memories your family will cherish for a lifetime.

MUNICH FIRE PIT KIT



SPECIFICATIONS:

- All components are pre-packaged on a pallet
- 72 Munich Wall medium radius units
- 46" outside diameter. 30" inside diameter
- Steel fire pit ring with removable grill
- Easy access spark screen
- 4 bags of coarse sand
- NEW optional (4) radius cap units



ACCENT FIRE PIT KIT



NEW FOR 2013

SPECIFICATIONS:

- All components are pre-packaged on a pallet
- 95 accent wall units
- 73.5" outside diameter. 49.5" inside diameter
- 6 radius cap units

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

CST WATER FEATURE KIT

COLORS:



ANTIQUE GREY



BUTTERNUT



HICKORY BLEND




BROWN FLASH



RED FLASH



WALNUT BLEND



BRANDYWINE




OCEAN CITY SAND



POTOMAC VALLEY




SANDSTONE



SIERRA




SOUTH BEACH



EASY BUILD-IT-YOURSELF WATER FEATURE KITS

Enjoy the sights and sounds of the soothing falls of the lighted CST Water Feature Kit in your backyard oasis.




SPECIFICATIONS:

- 72 pieces of Munich Wall units
- 56 pieces of Munich medium radius units
- 3 radius cap units
- Color changing ColorFalls Kit. Includes basin, pump, splash mat, plumbing and spillway.
- Features remote-control color changing LED light strip with 48 color options.

*For product color, finishes and sizes, please refer to the product data chart at the back of the book.

CST STEP DESIGNS



SIZES:

Risers:



Standard Unit
16L x 6H x 12D




Ultra 6x18 Unit
18L x 6H x 12D

Tread Options:



Wide Bullnose
12L x 6W x 2½H



Large Bullnose
12L x 4W x 2½H



C-Cap
16L x 3½H x 12D



Step Tread
51L x 12D x 214H
51L x 14D x 214H



Visit www.cstpavers.com and sign up for a FREE in home consultation.

From simple steps to stairs built into a retaining wall or integrated into the side of a hill, designing is easy with CST products. Standard and Ultra wall units can be used as risers with Standard or Antiqued Texture® finish Bullnose units for treads. VERSA-LOK® caps can also be used to create a distinguished tread.

NOTE: See product pages for color and finishing offerings.

CST & VERSA-LOK® COLUMNS

Create a distinctive driveway entrance or patio by adding columns to your landscaping design. Units are well constructed and extremely stable, with no cutting necessary.

Standard column heights are 3, 4, or 5 feet. Any column exceeding 5 feet must be reinforced with rebar and placed on a reinforced concrete footing.

Veranda Weathered™ Column:
20" x 20" Column, 36" High

COLUMN KITS

With our Column Kits, you'll always know what you're getting when you order columns. Now bundled with our Corner Units, our columns are attractive and easy to install. Pier caps sold separately.

VERSA-LOK™ Corner Column Kit
20" x 20" Column, 36" High

Munich Wall Column Kit
20" x 20" Column, 36" High

Full Corner Column Kit
24" x 24" Column, 36" High

Square Foot™ Corner Column Kit
27" x 27" Column, 40" High

WET CAST STEP TREADS

SIZES:

51L x 12D x 2¼H
51L x 14D x 2¼H

TREAD COLORS:



CST Step Treads allow you to finish off any step with a natural blue stone look. Available in 12" and 14" steps

WET CAST STEP KITS

TREAD SIZE:

51L x 14D x 2¼H

TREAD COLORS:



CST Step Kits provide an easy solution for building steps. CST Step Kits include VERSA-LOK® Standard Units for risers and are sold in 1, 2 and 3 step packages.


One Step Kit:
51" X 14" X 2 ¼" The height is 6", the length is 51", and the depth is 14" (2" buried below grade)

Two Step Kit:
Includes the One Step kit. The height is 12", the length is 51", and the depth is 28" (2" buried below grade)

Three Step Kit:
Includes One and Two Step Kits. The height is 18", the length is 51", and the depth is 42" (2" buried below grade)

WET CAST LANDSCAPE STEPS

COLORS:



SIZES:

72L x 16W x 6H
48L x 16W x 6H
36L x 16W x 6H

An alternative to building stairs, our Landscape Steps allow you to transition to another level while complementing your CST pavers and walls.



CST & VERSA-LOK® WALL CAPS



Visit www.cstpavers.com and sign up for a FREE in home consultation.



Put the finishing touch on your walls and steps with VERSA-LOK® Caps. Available in both Standard and Weathered™ finishes, we offer the same stunning colors to match the VERSA-LOK® Wall Systems.

Wall can also be capped using MONO-CAST® Bullnose.

Please refer to product pages for all sizes and colors and finish options.


COLORS:



BROWN



GREY



SANDSTONE

SIZES:

Rock Face 2 Sides:
48L x 12W x 2 3/4H

Rock Face 3 Sides:
51L x 12W x 2 3/4H

Cap off your wall with CST's new wet cast wall caps. This two and three sided rock face wall cap is an excellent way to achieve that natural blue stone look.

WET CAST WALL CAPS



WET CAST PIER CAPS



Light Cap




Flat Cap



Peak Cap

SIZES:

22" x 22" 32" x 32"
26" x 26" 36" x 36"
30" x 30" (Flat Top-only)



Top off your column in style with VERSA-LOK® Pier Caps. Available in three varieties- the Flat Cap for a simple column, the Peak Cap for a more elegant look, and the Light Cap with its half peak and flat top, allowing you to easily install your own light fixture.

COLORS:



BROWN



GREY



SANDSTONE

BEFORE & AFTER



CST teamed up with the NBC 10! Show to host a Backyard Makeover Contest.

Through a series of on-air announcements and promotions, viewers were asked to submit photos of their backyard and explain why they were deserving of the makeover. After an overwhelming number of submissions, Judy Manley of Cherry Hill, NJ was chosen to receive the backyard makeover courtesy of CST.

Offering an extensive overhaul of the lucky winner's backyard, including a new patio and fire-pit, the winning backyard makeover was revealed live on-air during a segment on the NBC 10! Show.

Check our website at www.cstpavers.com to find out how to win prizes and free give-a-ways for your before and after photos. While you are there have a look at this feature's video segment as seen on NBC's 10 Show.



"My experience with CST was more than I could have asked for. The CST House Call got the project started with design suggestions, product information and answers to my questions. The installation contractors did an amazing job bringing my customized design plan to life. The quality of the pavers ensure that I'll be enjoying my patio for years to come. I'm so pleased with the finished product that I recommend CST to anyone looking to recreate their backyard."

Thanks so much for everything!
~Judy



As seen on NBC's...





Professionals and do-it-yourself homeowners alike can install interlocking concrete pavers successfully. You will probably have to rent some tools that the average homeowner does not have. If you take your time and pay close attention to the base preparation, you will be pleased with the results.

Excavation:

Before digging, always call your local utility company to locate any underground lines.

In general terms, a minimum of 4" of compacted aggregate base is recommended for patios and walkways, and 8" for residential driveways where freeze/thaw conditions exist. Add 3" for the depth of the bedding sand and the paver thickness to determine the total depth to excavate. Excavation should be 6" wider than the finished pavements dimensions on sides where edge restraint is to be used. Slope and grade are important to ensure proper runoff. It is best to plan at least a 1/4" per foot drop, but try not to exceed 1/2" per foot.

Base Preparation:

As with any building project, the finished pavers will be only as good as the construction of the base. For this reason, this is the MOST important part of the installation process.

First, run your plate compactor over the excavated area, making sure that the soil does not get stuck to the bottom of the plate tamper. Each pass should overlap the previous one by about 4". Compaction should be performed in one direction (north-south) then a second time at a right angle (east-west) to the first compaction. It is suggested that a soil separation fabric be laid down over the compacted sub grade, especially in moist or wet areas, to separate virgin soil from the base. Now spread your stone base material out evenly in a 2" layer. If material is dry and dusty, use a garden hose to evenly moisten it down. This will help make the gravel easier to rake and faster to compact.

Starting with the outer perimeter, use the plate compactor to pack together the base, again overlapping each pass about 4" and working towards the center. You should make at least two complete passes for each layer. Repeat this process for each subsequent layer of base material until the final thickness is achieved. After final compaction, check the entire area for proper pitch and level conditions. The base should now reflect the final grade of your pavers. If you were to place a straight edge on the surface, there should be no more than a 1/4" gap at any point along the straight edge.

Edge Restraints:

The borders for your layout design may now be put into place. The edging is laid directly upon the quarry process base and secured with 10" steel spikes. One spike should be used every (2) feet for walkways and patios and every one (1) foot for driveways and radii.

Sand Setting Bed:

A setting bed of concrete sand can now be spread on top of the compacted base. Note: It is important to keep your sand dry. Always keep your sand covered in case of rain. It is suggested that you only screed sand for areas where you will be laying pavers that same day. Lay the screed guides (1" outside diameter electrical conduit, strips of wood or other suitable rigid material) on top of the compacted base material 4'-6' apart and parallel. For narrow areas such as walkways, the PVC edging can be used as a guide with a notched 2x4" board. When the pavers are set on the sand and compacted, the 1" of sand will compress to 1/2" to 5/8" thickness.

Installation of Pavers:

All projects must start at a perfect 90-degree angle. Use the 3-4-5-triangle method to establish this. For an even mix of pavers, select pavers from multiple cubes for optimum color blending. Starting from a permanent edge such as a house, driveway, or even a piece of rigid PVC edge restraint, lay your first paver starting from either side. String lines will assist in assuring straight lines. Spacing between pavers should not exceed 1/8". Set pavers lightly on the sand, never press or hammer them in. If you are doing the project over a couple of days, cover the entire area with plastic overnight if rain is expected.

Compacting and Sweeping:

Spread and sweep sand over the entire top of the pavers using a stiff bristle broom. To protect the surface of the pavers prior to compacting, lay down a mat, cardboard, thin plywood or soil separation fabric on top of the spread sand. Vibrating with a plate compactor will force the sand between the joints, stabilizing and leveling the final surface. Excess sand should be swept in the joints. Sweep again as necessary.






NOTE: DO NOT USE PLATE COMPACTOR ON CST WET CAST PRODUCTS.



WARNING: CST recommends the use of a protective layer between the paving stones and the plate compactor used when doing the final compaction. This will avoid scratching the surface of the pavers. The application recommended is the use of a mat, cardboard, thin plywood, carpeting or soil separation fabric. CST suggests using one of these separators with ALL of our paving lines.

DO NOT USE PLATE COMPACTOR ON CST WET CAST PRODUCTS.

ADVERTENCIA: Se les recomienda usar una capa de protección entre medio de los tabiques y la máquina que se va a usar cuando aplasten los tabiques en el proceso final. Eston ayudara a prevenir que raspen la cara de el tabique. La aplicacion recomendada para esto es el uso de un tapete, caja de carton, una madera plana, usando una carpeta o una tela de tierra. CST sugiere que usen una de estas aplicaciones con todos sus productos. **NO UTILIZAR PLACA COMPACTADORA SOBRE CST WET CAST PRODUCTOS.**



Maximum height for an un-reinforced VERSA-LOK® wall is four feet. Individual site, soil and loading conditions (including terraces) may limit un-reinforced wall height to less than four feet. Taller walls require geosynthetic solid reinforcement and engineering assistance. For information on engineered preliminary designs, please contact your local dealer or CST representative.

1-Leveling pad preparation

VERSA-LOK® walls should be placed on a leveling pad of compacted gravel, crushed stone or coarse sand about 6" thick and 24" wide. The first course of VERSA-LOK® should be embedded below grade approximately 1/10 the of the exposed wall height. Excavate to lines and grades you've established for the wall, allowing for leveling pad and unit embedment.

2-Install base course

Place VERSA-LOK® units on prepared leveling pad. As you proceed, level each unit front to back, side to side and with adjacent units. Leveling is critical at this stage, so take your time. Align straight wall sections using a string line or by sighting down the grooves on the top of each unit. If your wall has a corner, begin at the corner and work out from there.

3-Backfill

Fill in and compact native soil behind, and in front of the base course level with the grade in front of the wall. Next, place and compact 13" of drainage aggregate behind the units.

4-Installing successive courses

Stack one course at a time. Set units back 3/4". Insert two pins in front holes of units so they fall into the rear slots of the units beneath. Tap pins down with a pin and mallet. Place and compact drainage aggregate behind each course as it is completed.

5-Geosynthetic soil reinforcement

If your wall is higher than four feet or shoulders significant loads, you will need to install geosynthetic soil reinforcement. As each course is laid, place soil reinforcement horizontally on top of compacted backfill and about one inch from the front of the VERSA-LOK® units.

6-Installing caps

Complete your wall by placing VERSA-LOK® cap units on the top course. Install caps with a slight overhang (recommended), set back or flush with the wall face. Use VERSA-LOK® concrete adhesive to secure cap units to wall.

| | Length | Height | Depth | Weight (lbs) | Square Face Per Cube | Units Per Cube | Weight Per Cube (lbs.) | Pieces Per Face Foot |
|-----------------------------------|----------------------|--------|-------|--------------|----------------------|-----------------|--------------------------|----------------------|
| Standard Wall | | | | | | | | |
| Standard Unit | 16 | 6 | 12 | 80 | 32 | 48 | 3,930 | 1.5 |
| Corner Unit | 12 | 6 | 8 | 42 | 8 | 24 | 1010 | 3 |
| Full Corner | 16 | 6 | 8 | 57 | 8.8 | 18 | 1026.5 | 0.75 |
| C-Cap Unit | 16 | 3 ½ | 12 | 57 | 19.2 | 48 | 2,713 | 64 lf/ Cube |
| Mosaic Wall | | | | | | | | |
| Standard Unit | 16 | 6 | 12 | 80 | 32 | 48 | 3,842 | 1.5 |
| Accent Unit | 12 | 4 | 12 | 36.5 | 32 | 96 | 3,469 | 3 |
| Cobble Unit | 8 | 6 | 12 | 38.5 | 32 | 96 | 3,582 | 3 |
| C-Cap Unit | 16 | 3 ½ | 12 | 57 | 19.2 | 48 | 2,738 | 64 lf/ Cube |
| Square Foot Wall | | | | | | | | |
| Square Foot Unit | 18 | 8 | 12 | 82 | 36 | 36 | 3,212 | 1 |
| Square Foot Corner | 18 | 8 | 9 | 98 | N/A | 20 | 1981 | 0.75 |
| C-Cap Unit | 16 | 3 ½ | 12 | 57 | 19.2 | 48 | 2,738 | 64 lf/ Cube |
| Ultra 6 x 18 Wall | | | | | | | | |
| Ultra 6 x 18 Unit | 18 | 6 | 12 | 68 | 45 | 60 | 4150 | 1.33 |
| Corner Unit | 12 | 6 | 8 | 42 | 8 | 24 | 1010 | 3 |
| Full Corner | 16 | 6 | 8 | 57 | 8.8 | 18 | 1026.5 | 0.75 |
| C-Cap Unit | 16 | 3 ½ | 12 | 57 | 19.2 | 48 | 2,738 | 64 lf/ Cube |
| Pins | 6 ¾ | ½ | N/A | N/A | N/A | 100/Bag-500/Box | N/A | N/A |
| Munich Wall | | | | | | | | |
| Munich Wall | 12 | 4 | 8 | 30 | 40 | 120 | 3633 | 3 |
| Munich Wall Radius Combo | | | | | | | | |
| Munich Wall Radius (Small) | 6 | 4 | 8 | 13 | 28 | 20 | 2164 | 6 |
| Munich Wall Radius (Medium) | 8 | 4 | 8 | 16 | | 50 | | 4.5 |
| Munich Wall Radius (Large) | 12 | 4 | 8 | 26 | | 40 | | 3 |
| Munich Wall Radius (Medium) | 8 | 4 | 8 | 16 | 48 | 216 | 3542 | 4.5 |
| Veranda Wall | | | | | | | | |
| Veranda 3" Wall Combo Cube | | | | | | | | |
| Veranda Wall (3") Combo (Small) | 5 wide 4 narrow | 3 | 9 ¾ | | 40 | 80 | 4441 (STD) 4426 (WTD) | |
| Veranda Wall (3") Combo (Medium) | 8 wide 7 narrow | 3 | 9 ¾ | | | 80 | | |
| Veranda Wall (3") Combo (Large) | 13 wide 11 narrow | 3 | 9 ¾ | | | 80 | | |
| Veranda 6" Wall Combo Cube | | | | | | | | |
| Veranda Wall (6") Combo (Small) | 5 wide 4 narrow | 6 | 9 ¾ | | 40 | 40 | 4505 (STD) 4408 (WTD) | |
| Veranda Wall (6") Combo (Medium) | 8 wide 7 narrow | 6 | 9 ¾ | | | 40 | | |
| Veranda Wall (6") Combo (Large) | 13 wide 11 narrow | 6 | 9 ¾ | 55 | | 40 | | |
| Veranda Cap | 14 wide 12 narrow | 3 | 12 | 35 | 52 L/F | 48 | 1680 | 1.08 L/F |
| Veranda 6" Wall (vertical unit) | 6 | 12 | 9 ¾ | 53 ½ | 30 | 60 | 1803 (STD) 1755 (WTD) | 2 |
| Veranda 6" Wall (large) | 13 wide 11 narrow | 6 | 9 ¾ | 55 | 30 | 60 | 3281 (STD) 3197 (WTD) | 2 |

□ = STANDARD FINISH
 △ = WEATHERED FINISH
 BLACK = STOCK
 BLUE = MADE TO ORDER
 RED = SPECIAL ORDER

| | Antique Grey | Brandywine | Brown | Brown Flash | Sandstone | Butternut | Cape May Green | Charcoal | Delaware Mist | Grey | Hickory | Ocean City Sand | Old Chicago | Old Mahogany | Point Pleasant Blue | Potomac Valley | Red | Red Flash | Walnut | South Beach | Sierra |
|-----------------------------------|--------------|------------|-------|-------------|-----------|-----------|----------------|----------|---------------|------|---------|-----------------|-------------|--------------|---------------------|----------------|-----|-----------|--------|-------------|--------|
| Standard Wall | | | | | | | | | | | | | | | | | | | | | |
| Standard Unit | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Corner Unit | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Full Corner | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| C-Cap Unit | ■▲ | ■▲ | | ■▲ | ■▲ | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Mosaic Wall | | | | | | | | | | | | | | | | | | | | | |
| Standard Unit | ■▲ | | | ■▲ | | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| Accent Unit | ■▲ | | | ■▲ | ■▲ | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| Cobble Unit | ■▲ | | | ■▲ | ■▲ | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| C-Cap Unit | ■▲ | | | ■▲ | ■▲ | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| Square Foot Wall | | | | | | | | | | | | | | | | | | | | | |
| Square Foot Unit | ■▲ | | | ■▲ | | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| Square Foot Corner | ■▲ | | | ■▲ | | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| C-Cap Unit | ■▲ | | | ■▲ | ■▲ | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| Ultra 6 x 18 Wall | | | | | | | | | | | | | | | | | | | | | |
| Ultra 6 x 18 Unit | ■▲ | | | ■▲ | ■▲ | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| Corner Unit | ■▲ | | | ■▲ | ■▲ | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| Full Corner | ■▲ | | | ■▲ | ■▲ | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| C-Cap Unit | ■▲ | | | ■▲ | ■▲ | ■▲ | | | | | ■▲ | | | | | | | ■▲ | ■▲ | | |
| Pins | | | | | | | | | | | | | | | | | | | | | |
| Munich Wall | | | | | | | | | | | | | | | | | | | | | |
| Munich Wall | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ | | ▲ | ▲ | | | | | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ |
| Munich Wall Radius Combo | | | | | | | | | | | | | | | | | | | | | |
| Munich Wall Radius (Small) | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ | | ▲ | ▲ | | | | | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ |
| Munich Wall Radius (Medium) | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ | | ▲ | ▲ | | | | | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ |
| Munich Wall Radius (Large) | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ | | ▲ | ▲ | | | | | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ |
| Munich Wall Radius (Medium) | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ | | ▲ | ▲ | | | | | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ |
| Veranda Wall | | | | | | | | | | | | | | | | | | | | | |
| Veranda 3" Wall Combo Cube | | | | | | | | | | | | | | | | | | | | | |
| Veranda Wall (3") Combo (Small) | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Veranda Wall (3") Combo (Medium) | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Veranda Wall (3") Combo (Large) | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Veranda 6" Wall Combo Cube | | | | | | | | | | | | | | | | | | | | | |
| Veranda Wall (6") Combo (Small) | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Veranda Wall (6") Combo (Medium) | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Veranda Wall (6") Combo (Large) | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Veranda Cap | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Veranda 6" Wall (vertical unit) | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |
| Veranda 6" Wall (large) | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | | | | ■▲ | ■▲ | | |

Note: For made to order and special order products please see your CST Dealer for details.

| PIER CAPS | Size | Pieces per Pallet | Weight per Piece | Weight per Pallet |
|----------------------------|-------------------------------|--------------------------|-------------------------|--------------------------|
| Flat Top-Pier Cap | 22 x 22 | 40 | 95 | 3800 |
| Flat Top-Pier Cap | 26 x 26 | 24 | 130 | 3120 |
| Flat Top-Pier Cap | 30 x 30 | 12 | 155 | 1860 |
| Flat Top-Pier Cap | 32 x 32 | 12 | 180 | 2160 |
| Flat Top-Pier Cap | 36 x 36 | 12 | 240 | 2880 |
| Peaked-Pier Cap | 22x22 | 12 | 145 | 1740 |
| Peaked-Pier Cap | 26x26 | 12 | 190 | 2280 |
| Peaked-Pier Cap | 30x30 | 6 | 275 | 1650 |
| Peaked-Pier Cap | 32x32 | 6 | 280 | 1680 |
| Light Top-Pier Cap | 22x22 | 12 | 135 | 1620 |
| Light Top-Pier Cap | 26x26 | 12 | 180 | 2160 |
| Light Top-Pier Cap | 30x30 | 6 | 240 | 1440 |
| Light Top-Pier Cap | 32x32 | 6 | 250 | 1500 |
| WALL CAPS | | | | |
| 2 Sided Wall-Cap | 2 ¼ x 12 x 48 | 21 | 118 | 2478 |
| 3 Sided Wall-Cap | 2 ¼ x 12 x 51 | 21 | 126 | 1646 |
| COLUMN KITS | | | | |
| | Column Size | Pieces Per Kit | Weight | |
| VL Square Foot Column | 27 Column 40 High | 20 | 1960 lbs. | |
| Full Corner Column | 24 Column 36 High | 24 | 1368 lbs. | |
| Versa-Lok Corner Column | 20 Column 36 High | 24 | 1010 lbs. | |
| Munich Column | 20 Column 36 High | 36 | 1080 lbs. | |
| Veranda Column | 20 Column 36 High | 24 | 1010 lbs. | |
| LANDSCAPE STEPS | | | | |
| | Size | Pieces per Pallet | Weight per Piece | Weight per Pallet |
| Small | 6 x 16 x 36 | 10 | 300 | 3000 |
| Medium | 6 x 16 x 48 | 10 | 420 | 4200 |
| Large | 6 x 16 x 72 | 6 | 616 | 3696 |
| STEP TREADS 12" | 2 ¼ x 12 x 51 | 21 | 125 | 2625 |
| STEP TREADS 14" | 2 ¼ x 14 x 51 | 21 | 135 | 2835 |
| STEPPING STONES | | | | |
| Random Steppers | 1 ½ x 18 x 24 | 60 | 50 | 3000 |
| Exposed 18" Round | 18 round x 1 ½ | 60 | 37 | 2200 |
| Exposed 24" Square | 24 square x 1 ½ | 40 | 80 | 3200 |
| BISTRO TABLE KIT | | | | |
| Table Top | 42 x 42 x 2 ½ | 1 | 355 | 1830 |
| Foot Rest | 28 x 28 x 2 ½ | 1 | 155 | |
| Table Base | 20 x 20 Munich Column | 44 Munich Units | 1320 | |
| FIRE PIT KITS | | | | |
| Munich Fire Pit Kit | 46 outside dia, 30 inside dia | N/A | | |
| Munich Med Radius Units | 8 x 4 x 8 | 72 Munich Units | | |
| Firepit Ring | 7h x 29 dia | 1 | | |
| Spark Screen | 34h x 32 dia. | 1 | | |
| Bags of Sand | | 4 | | |
| Radius Wall Cap (optional) | | 4 | 35 | 140 |
| Accent Fire Pit Kit | 12 x 4 x 12 | 96 | 36.5 | 3506 |
| Radius Cap Units | | 6 | 103 | 618 |
| STEP KIT | | | | |
| | Size | Step Kit # 1 | Step Kit # 2 | Step Kit # 3 |
| Tread | 51 x 14 x 2 ¼ | 1 units. | 2 units. | 3 units. |
| Standard Unit | 16 x 6 x 12 | 2 units. | 6 units. | 12 units. |
| Corner Unit | 12 x 6 x 8 | 2 units. | 2 units. | 4 units. |
| Full Corner Unit | 16 x 6 x 8 | 0 units. | 2 units. | 2 units. |
| Cobble Unit | 8 x 6 x 12 | 0 units. | 1 units. | 5 units. |
| WATER FEATURE KIT | | | | |
| | Size | Pieces per Pallet | Weight per Piece | Weight per Pallet |
| Munich Wall | 12 x 4 x 8 | 72 | 30 | 2160 |
| Munich Wall Radius Medium | 8 x 4 x 8 | 56 | 16 | 896 |
| Color Falls | 24 Basin & Pump Kit | 1 | 50 | 50 |
| Radius Cap Units | | 3 | 81 | 243 |

□ = STANDARD FINISH
△ = WEATHERED FINISH

BLACK = STOCK
BLUE = MADE TO ORDER
RED = SPECIAL ORDER

| | Antique Grey | Brandywine | Brown | Brown Flash | Sandstone | Butternut | Cape May Green | Charcoal | Delaware Mist | Grey | Hickory | Ocean City Sand | Old Chicago | Old Mahogany | Point Pleasant Blue | Potomac Valley | Red | Red Flash | Walnut | South Beach | Sierra | Lilac | Maryland Stone | Delaware Stone |
|----------------------------|--------------|------------|-------|-------------|-----------|-----------|----------------|----------|---------------|------|---------|-----------------|-------------|--------------|---------------------|----------------|-----|-----------|--------|-------------|--------|-------|----------------|----------------|
| Flat Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Flat Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Flat Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Flat Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Flat Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Flat Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Peaked-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Peaked-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Peaked-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Peaked-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Peaked-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Light Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Light Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Light Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Light Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Light Top-Pier Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| WALL CAPS | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 Sided Wall-Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| 3 Sided Wall-Cap | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| COLUMN KITS | | | | | | | | | | | | | | | | | | | | | | | | |
| VL Square Foot Column | ■▲ | | | ■▲ | | ■▲ | | | | | ■▲ | | | | | | | | | ■▲ | ■▲ | | | |
| Full Corner Column | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | ■▲ | | | ■▲ | ■▲ | | | | | | | | ■▲ | ■▲ | | | |
| Versa-Lok Corner Column | ■▲ | ■▲ | | ■▲ | ■▲ | ■▲ | ■▲ | ■▲ | | | ■▲ | ■▲ | | | | | | | | ■▲ | ■▲ | | | |
| Munich Column | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ | ▲ | ▲ | | ▲ | ▲ | | | ▲ | ▲ | | | | ▲ | ▲ | ▲ | ▲ | |
| Veranda Column | ■▲ | ■▲ | | ■▲ | | ■▲ | ■▲ | ■▲ | ■▲ | | ■▲ | ■▲ | | | ■▲ | ■▲ | | | | ■▲ | ■▲ | | | |
| LANDSCAPE STEPS | | | | | | | | | | | | | | | | | | | | | | | | |
| Small | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Medium | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Large | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| STEP TREADS 12" | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| STEP TREADS 14" | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| STEPPING STONES | | | | | | | | | | | | | | | | | | | | | | | | |
| Random Steppers | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | ■ | |
| Exposed 18" Round | | | | | | | | | | | | | | | | | | | | | | | ■ | ■ |
| Exposed 24" Square | | | | | | | | | | | | | | | | | | | | | | | ■ | ■ |
| BISTRO TABLE KIT | | | | | | | | | | | | | | | | | | | | | | | | |
| Table Top | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Foot Rest | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Table Base | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ | ▲ | ▲ | | ▲ | ▲ | | | ▲ | ▲ | | | ▲ | ▲ | ▲ | ▲ | | |
| FIRE PIT KITS | | | | | | | | | | | | | | | | | | | | | | | | |
| Munich Fire Pit Kit | | | | | | | | | | | | | | | | | | | | | | | | |
| Munich Med Radius Units | ▲ | ▲ | | ▲ | ▲ | ▲ | ▲ | ▲ | | | ▲ | ▲ | | | ▲ | ▲ | | | ▲ | ▲ | ▲ | ▲ | | |
| Firepit Ring | | | | | | | | | | | | | | | | | | | | | | | | |
| Spark Screen | | | | | | | | | | | | | | | | | | | | | | | | |
| Bags of Sand | | | | | | | | | | | | | | | | | | | | | | | | |
| Radius Wall Cap (optional) | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Accent Fire Pit Kit | ■▲ | | | ■▲ | ■▲ | ■▲ | | | | | ■▲ | | | | | | | | | ■▲ | ■▲ | | | |
| Radius Wall Cap Units | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| STEP KIT | | | | | | | | | | | | | | | | | | | | | | | | |
| Tread | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |
| Standard Unit | ■▲ | | | | | ■▲ | | | | | ■▲ | | | | | | | | | | | | | |
| Corner Unit | ■▲ | | | | | ■▲ | | | | | ■▲ | | | | | | | | | | | | | |
| Full Corner Unit | ■▲ | | | | | ■▲ | | | | | ■▲ | | | | | | | | | | | | | |
| Cobble Unit | ■▲ | | | | | ■▲ | | | | | ■▲ | | | | | | | | | | | | | |
| WATER FEATURE KIT | | | | | | | | | | | | | | | | | | | | | | | | |
| Munich Wall | ▲ | ▲ | | | | ▲ | | | | | ▲ | ▲ | | | | | | | | | | | | |
| Munich Wall Radius Medium | ▲ | ▲ | | | | ▲ | | | | | ▲ | ▲ | | | | | | | | | | | | |
| Color Falls | | | | | | | | | | | | | | | | | | | | | | | | |
| Radius Cap Units | | | ■ | ■ | | | | | | ■ | | | | | | | | | | | | | | |

Note: For made to order and special order products please see your CST Dealer for details.

You have chosen CST MONO-CAST® One-Piece Pavers for their long-lasting beauty. However, this high quality material is not impervious to oil and other substances. To preserve your pavers' original appearance, it is therefore important to clean and protect them in the correct way. Techni-Seal's line includes all the essential products for cleaning, protecting and maintaining your pavers.



| Product | Look | Features/Functions | Sizes | Coverage |
|---|--|--|-----------------------|--|
| WET LOOK (WL4) PAVER PROTECTOR | Wet Look (water based) *(Solvent based avail.) | Enhances original colors. Forms a long lasting protective film. Protects against oil & dirt. | 1 Gallon 5 Gallons | 1 Gallon covers up to 150 sq. ft. |
| WET LOOK (WLS) PAVER PROTECTOR | Semi-Gloss (water based) | Protects against oil & dirt. Film forming. | 1 Gallon 5 Gallons | 1 Gallon covers up to 150 sq. ft. |
| CLEAR LOOK (EV) PAVER PROTECTOR | Natural Look Satin Finish (water based) | Protects against oil & dirt. Film forming. Easy to apply, no unpleasant fumes, environmentally friendly. | 1 Gallon 5 Gallons | 1 Gallon covers up to 175 sq. ft. |
| JSS-Stabilizing Sealant for Pavers and Joints | Satin Finish (water based) | Film forming. Bonds Sand in place within pavement joints. | 1 Gallon 5 Gallons | 1 Gallon covers up to 140 sq. ft. |
| NATURAL LOOK (IN) PAVER PROTECTOR | Invisible (water based) | Non-film forming. Soaks into the material, won't make slippery. | 1 Gallon 5 Gallons | 1 Gallon covers up to 120 sq. ft. for mandatory 2 coat application. |
| COLOR BOOST (WLP) PAVER PROTECTOR | Matte Finish (solvent based) | Non-skid finish ideal for pool decks. Non-film forming. Acts as a water & oil repellent. | 1 Gallon | 1 Gallon covers up to 120 sq. ft. for mandatory 2 coat application. |
| 1 Gallon covers up to 120 sq. ft. for mandatory 2 coat application. | Invisible (water based) | Non-film forming. Repels water & dirt. Protects against salt & frost. | 1 Gallon 5 Gallons | 1 Gallon covers up to 150 sq. ft. |
| 1 Gallon covers up to 150 sq. ft. | | 1 Gallon covers up to 150 sq. ft. | 1 Gallon 5 Gallons | 1 Gallon of concentrated product cleans 200 sq.ft |
| HC-Multi-surface Hardscape cleaner | | Dislodges efflorescence and ground in dirt. Prepares for sealant. | 1 Gallon 5 Gallons | 1 Gallon of concentrated product cleans 800 sq.ft |
| Organic Stain Remover | | Dissolves, dislodges stains. | 25 oz. | Concentrated powder makes up to 2 gallons & cleans up to 200 sq ft. |
| RR-Rust Remover | | Effectively removes stains caused by metal, rusted water, fertilizer, etc. | 1 Quart | |
| PTR-Paint, Tar & Rubber Remover | | Removes sealant, paint, tar or bitumen, rubber and chewing gum. | 1 Quart | |
| RG+-Concrete Adhesive | | Elastomeric resin-based compound. Remains flexible. | 29 oz. Tube | |
| HP2 Polymeric Sand | | High Performance. Cures quickly. Ideal for heavy traffic areas. Environmentally friendly. Maximum joint width 4. | 50 lbs. | 50 Lbs. Covers 60-75 sq. ft. with narrow joints, or 25-40 sq. ft. with wide joints. |
| RG+ Polymeric Sand | Granite Grey or Tan | Applied dry-Hardens after being misted. Inhibits weed growth. Strengthens interlocking & stabilizes. | 50 lbs. | 50 Lbs. Covers 60-75 sq. ft. with narrow joints, or 25-40 sq. ft. with wide joints. |
| HP Polymeric Sand | Granite Grey or Tan | High Performance. Ideal for highly exposed surfaces such as pool decks, sloped driveways, public ways, etc. | 50 lbs. | 50 Lbs. Covers 80-100 sq. ft. with narrow joints, or 30-55 sq. ft. with wide joints. |

Note: Ask your CST Dealer for directions when sealing CST wet cast products.

The Online Difference

www.cstpavers.com
Find the dealer closest to you, view products and color selections, and much more.



Before you put down one paver or stack one block-head over to www.cstpavers.com. Take advantage of an abundance of resources we have put online to help you with your next project. Our IdeaScapes photo gallery is filled with hundreds of photos neatly organized by project type to get ideas and inspiration for your next project.



Questions? Ask Steve, CST's virtual know-it-all.

How high can I build my retaining wall? Can a snow plow damage my pavers? How do I replace a stained or damaged paver?

Click "Ask Steve" at cstpavers.com and get your answers. Steve is ready when you are.



How about a House Call?

That's right. CST makes House Calls. Visit www.cstpavers.com and sign up for a FREE in home consultation. A knowledgeable CST sales representative will make an appointment to visit you at your home with project ideas, samples and literature. Let the experts at CST give you some advice, answer any questions you may have and provide you with helpful tips on how you can make your project something special.



WARRANTY

CST Products LLC provides a transferrable lifetime warranty on the structural integrity and deterioration (due to natural causes) of its paving stones and wall systems to the original purchaser of the product. Proof of purchase is required.

All products must be installed following CST and VERSA-LOK® installation guidelines.

If any paving stone or wall units are found defective CST will replace the units. CST's responsibility is limited to the products and does not extend to the cost of installation or shipping. Due to the very nature of concrete products, we cannot guarantee the exact color match of the replacement units. CST prides itself in manufacturing its products to the highest standards.

You must register your product at cstpavers.com within 60 days from installation completion to activate your transferrable lifetime warranty.

CST products are made from natural materials which have variations in color and shade. The color photos in this brochure were prepared with great concern for accuracy. However, reproductions do not always precisely convey the color and texture of the actual product. We highly recommend that you visit an authorized CST Dealer's display to make your choice.

ALL PUBLISHED SIZES OF CST PRODUCTS ARE NOMINAL

Efflorescence, a natural and common occurrence in many concrete products. Efflorescence occurs when natural salts come to the surface and leave behind a white deposit that can normally be brushed off. Efflorescence is not a product defect therefore CST accepts no liability for its occurrence. Efflorescence will usually weather away with time.



Discover The CST Difference[®]

MONO-CAST[®] One Piece Pavers & VERSA-LOK[®] Retaining Walls

Visit our dealer display to view and select CST products.

Distributed By:

Pedricktown, New Jersey
345 Route 130
Pedricktown NJ 08067
Phone Number: (856) 299 5339

Branchville, New Jersey
23 Ridge Road, PO Box 2191
Branchville, NJ 07826
Phone Number: (973) 948-7193

Production & Distribution:
43 Leonards Drive
Montgomery, NY 12549



MONO-CAST[®]
ONE PIECE PAVER
www.cstpavers.com



VERSA-LOK[®]
Retaining Wall Systems
Solid Solutions.

